

28 February 2025

Reference: Nick Poulos

Lilyfield Road – Construction of Proposed Raised Pedestrian Crossings

Dear Resident,

Inner West Council will soon be investing \$455,000 to construct two raised pedestrian crossings on Lilyfield Road near Ryan Street and near Denison Street to enhance safety for pedestrians, cyclists, and motorists, particularly during busy periods.

The pedestrian crossings will include traffic islands, footpath upgrades, landscaping and new lighting.

Timing of work

Work on the pedestrian crossing near Denison Street is scheduled to begin 28 February 2025 and is expected to take approximately three weeks to complete, weather permitting.

Initially, temporary solar lights will be installed at this crossing, which will later be replaced with permanent lighting after approval by Ausgrid.

The pedestrian crossing near Ryan Street will be constructed when Council receives Ausgrid's approval for the lighting, as temporary lights cannot be installed at this location.

Both crossings are anticipated to be fully completed with permanent lighting by the end of the financial year, subject to Ausgrid's approval.

Enquiries

Council's contractor:	Civotek P/L Ibrahim Hawat, Project Manager 0416 661 160
Council officer:	Nick Poulos, Project Manager, 02 9392 5526 nick.poulos@innerwest.nsw.gov.au

We appreciate your patience and co-operation while we complete these important works.


Yours faithfully,

Predrag Gudelj | Coordinator Roads and Stormwater Projects
Inner West Council


ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)

CIVIL DRAWING SCHEDULE			
SHEET No.	TITLE	DWG No.	ISSUE
01	DRAWING SCHEDULE AND LOCALITY PLAN	2974.1.001	D
02	GENERAL NOTES, LEGEND AND DETAILS SHEET	2974.1.002	D
03	GENERAL ARRANGEMENT PLAN	2974.1.400	D
04	LINEMARKING AND SIGNAGE PLAN	2974.1.401	D
05	SETOUT PLAN - REFERENCE STRING AND KERB ISLANDS	2974.1.402	D
06	SETOUT PLAN - WOMBAT CROSSING AND RAMPS	2974.1.403	D
07	SETOUT PLAN - SETOUT TABLES	2974.1.404	D
08	MC01 CROSS SECTIONS - SHEET 1 OF 2 - CH.0.000 TO CH.20.000	2974.1.801	D
09	MC01 CROSS SECTIONS - SHEET 1 OF 2 - CH.25.000 TO CH.37.000	2974.1.802	D

LIGHTING DRAWING SCHEDULE			
SHEET No.	TITLE	DWG No.	ISSUE
01	PEDESTRIAN CROSSING LIGHTING DESIGN - LOCALITY PLAN, GEOGRAPHICAL LOCATION, SHEET INDEX, AND NOTES	240445.L1000	A
02	PEDESTRIAN CROSSING 1 LIGHTING DESIGN - PROPOSED LIGHTING LEVEL CALCULATIONS	240445.L1002	A
03	PEDESTRIAN CROSSING 2 LIGHTING DESIGN - PROPOSED LIGHTING LEVEL CALCULATIONS	240445.L1004	A
04	PEDESTRIAN CROSSING LIGHTING DESIGN - PROPOSED SET- OUT PLAN	240445.L1005	A



LOCALITY PLAN
NOT TO SCALE



THIS DRAWING SET IS PRODUCED IN COLOUR. REPRODUCTION OR READING IN OTHER THAN FULL COLOUR MAY IMPART FALSE OR MISSING INFORMATION. PLEASE CONTACT THE STATUTORY CERTIFIER VIA THE PROJECT MANAGER FOR CLARIFICATION.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION


COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD Level Book
Size: A1 - Scales before reduction:			
Dimensions shown in metres except where shown otherwise			

DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	



Project	ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)		
Drawing Title	DRAWING SCHEDULE AND LOCALITY PLAN		

Drawn	J.MCGUCKIN	Date	02/25
Designed	J.RODDA	Date	02/25
Checked	E.HEUGH	Date	02/25
Project No.	2974.1	Sheet No.	001
Rev.			D

LEGEND - EXISTING FEATURES

	BOUNDARY LINE
	FENCE LINE
	KERB & GUTTER
	TRAFFIC LINE MARK
	TRAFFIC LINE MARK
	WALL
	BUILDING
	DRAINAGE PIPE/ARCH
	APPROX. LINE OF WATERMAIN (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF SEWERMAIN (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TELSTRA (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF GAS MAIN (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF ELECTRICITY (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF OPTUS (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF UECOMM (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TRANSPORT (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TRANSPORT ELEC. (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TRAFFIC (BY DIAL BEFORE YOU DIG)

	TRAFFIC DIRECTION
	TRAFFIC LIGHT
	TRAFFIC BOX
	50KM SPEED LIMIT MARK
	TRAFFIC SIGN
	BIKE ROUTE MARK
	POWER POLE
	LIGHT POLE
	ELECTRICITY & LIGHT POLE
	BOLLARD
	SEWER MANHOLE
	SEWER LAMPHOLE
	WATER
	WATER HYDRANT
	WATER STOP VALVE
	GAS
	GAS VALVE
	DRAINAGE PIT
	TELSTRA PIT
	MISCELLANEOUS SERVICE BOX
	COLUMN
	UNKNOWN
	27 SURVEY CONTROL - OTHER
	PM27823 SURVEY CONTROL - SSM / PM

LEGEND

	NEW TYPE 'INTEGRAL KERB & GUTTER' BARRIER KERB AND CHANNEL
	NEW TYPE 'KERB ONLY' BARRIER KERB
	NEW 100mm THICK SL72 MESH REINFORCED BROOM FINISH CONCRETE FOOTPATH. REFER TO IWC STD. DRG. F2 FOR DETAILS.
	NEW CONCRETE TRAFFIC ISLAND.
	NEW TURF.
	NEW LANDSCAPED AREA. REFER IWC STD. DRG. T1 FOR LANDSCAPE DETAILS.
	NEW ASPHALT RESURFACING 50mm 50mm - AC14M 50mm - 100mm AC20M (AS REQUIRED)
	NEW CONCRETE WOMBAT CROSSING. REFER IWC STD. DRG. T1 FOR DETAILS.
	BICYCLE LANE DELINEATION LINE MARKING STREET PRINT - (COLOUR) EMERALD GREEN

PAVEMENT MARKINGS & RETROREFLECTIVE MARKER APPLICATIONS

DIVIDING LINE (DL) (A) TWO-LANE ROADS		100mm
(B) MULTILANE ROADS		200mm
BARRIER LINE (BL) (A) SINGLE		100mm
(B) ONE DIRECTION		100mm
(C) BOTH DIRECTIONS		80mm
LANE LINE (LL) (A) BROKEN		100mm
(B) SPECIAL PURPOSE - BROKEN, INCLUDING EXIT LINE AT ROUNDABOUTS		100mm
(C) CONTINUOUS		100mm
EDGE LINE (EL)		150mm
YELLOW LINE (YL)		100mm
CONTINUITY LINE (CL)		150mm
OUTLINE (OL)		150mm
TURN LINE (TL)		100mm
STOP LINE (SL)		450mm
GIVE WAY LINE (GWL)		450mm
PEDESTRIAN CROSSING LINE (PXL)		150mm
BROKEN YELLOW ZONE LINE (BYZL)		100mm

BIKE AWARENESS ZONE SYMBOL (YELLOW)

BICYCLE LANE DELINEATION LINE MARKING STREET PRINT - (COLOUR) EMERALD GREEN

MILL & FILL PAVEMENT DETAILS

	NEW PAVEMENT TO BE CONSTRUCTED
	50mm MILL (50mm MIN IN AREAS OF FILL TO KEY NEW PAVEMENT)
	50mm - AC14M
	50mm - 100mm AC20M (AS REQUIRED)
	10mm SAMI SEAL COAT

GENERAL NOTES

- CARRY OUT ALL WORKS IN CONFORMANCE WITH THE APPROVED PROJECT DOCUMENTATION. RECORD AND HAVE AUTHORISED ANY CHANGES MADE TO THE WORKS UNDER THIS DOCUMENTATION, IN CONFORMANCE WITH QUALITY PROCEDURES.
- WHERE PROJECT DOCUMENTATION (INCLUDING THESE DRAWINGS) DOES NOT PROVIDE CLEAR DETAILS, UNDERTAKE WORKS IN CONFORMANCE WITH CITY PLAN LAND DEVELOPMENT GUIDELINES CURRENT EDITION INCLUDING STANDARD SPECIFICATIONS & DRAWINGS.
- WHERE PROJECT SPECIFIC DETAILS ARE NOT INCLUDED, PROVIDE TRAFFIC MANAGEMENT, LINEMARKING AND SIGNAGE TO AS1742 REQUIREMENTS.
- NOTE THAT PROPERTY BOUNDARIES ARE DERIVED FROM THE INNER WEST COUNCIL GEOSPATIAL INFORMATION SYSTEM AND ARE SUBJECT TO FINAL SURVEY U.N.O.
- ARRANGE SET OUT BY INNER WEST COUNCIL INFRASTRUCTURE DELIVERY SURVEY SERVICES. NOTIFY SURVEY COORDINATOR A MINIMUM OF 48 HOURS IN ADVANCE.
- ENSURE THE REQUIRED SURVEY CONTROL MARKS HAVE NOT BEEN DISTURBED OR DESTROYED PRIOR TO ESTABLISHMENT AND COMMENCEMENT OF WORKS. LIAISE WITH AND ALLOW SUFFICIENT TIME (48 HOURS NOTICE) FOR INNER WEST COUNCIL INFRASTRUCTURE DELIVERY SURVEY SERVICES TO PROVIDE NEW SURVEY CONTROL INFORMATION.
- NOTE THAT UNDERGROUND SERVICES SHOWN ON THESE PLANS HAVE BEEN DERIVED FROM GIS DATA (QL-D), ELECTROMAGNETIC RADIO DETECTION (QL-B) AND POTHOLING (QL-A) WITH SURVEY PICK UP TO AS5488. POTHOLING (QL-A) DATA ARE IDENTIFIED ON THESE PLANS WITH A REDUCED LEVEL TO TOP OF PIPE/SERVICE UNLESS NOTED OTHERWISE.
- REINSTATE THE AFFECTED WORK AREA TO CONDITION PRIOR TO COMMENCEMENT OF WORK, INCLUDING FENCES, GATES, DRIVEWAYS ETC. WITH EXISTING OR MATCHING MATERIALS, OR AS DIRECTED U.N.O.
- UNDERTAKE EROSION AND SEDIMENT MANAGEMENT IN ACCORDANCE WITH DIRECTORATE QUALITY MANAGEMENT SYSTEM.
- UNDERTAKE WORKS IN ACCORDANCE WITH THE PROJECT VEGETATION MANAGEMENT SPECIFICATION.
- COORDINATE RELOCATION OF SERVICES THROUGH APPROPRIATE PROVIDER CONTACTS SHOWN IN THE SPECIFICATION.
- CONTACT BEFORE YOU DID AUSTRALIA "BYDA" (www.byda.com.au or www.1100.com.au) PRIOR TO COMMENCING WORKS.
- DRAWINGS MUST BE READ IN CONJUNCTION WITH PROJECT SPECIFICATIONS AND DESIGNER'S RISK ASSESSMENT.

DEMOLITION NOTES:

- ALL DEMOLITION WORK TO BE CARRIED OUT IN ACCORDANCE WITH AS.2601.
- ENSURE ALL SERVICES ARE DISCONNECTED AND CAPPED BELOW GROUND LEVEL. SERVICES TO BE RECONNECTED SHOULD BE LOCATED BY SURVEY AND PROTECTED FOR FUTURE CONNECTION.
- ADJUST LEVELS OF EXISTING SERVICE PITS TO BE RETAINED TO SUIT NEW WORKS.

THIS DRAWING SET IS PRODUCED IN COLOUR. REPRODUCTION OR READING IN OTHER THAN FULL COLOUR MAY IMPART FALSE OR MISSING INFORMATION. PLEASE CONTACT THE STATUTORY CERTIFIER VIA THE PROJECT MANAGER FOR CLARIFICATION.

NOTE: THIS DESIGN MUST BE READ IN CONJUNCTION WITH DESIGN ADVICE PROVIDED TO THE CLIENT FROM COMPLETE URBAN DURING THE DESIGN PROCESS AND SUPPLIED WITH THE FOR CONSTRUCTION DOCUMENTATION. THIS ADVICE FORMS PART OF THE DESIGN.


COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA				
Horiz. Datum	MGA56	Vertical Datum	AHD	Level Book
Size: A1 - Scales before reduction:				
Dimensions shown in metres except where shown otherwise				



DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	



Project	
ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)	
Drawing Title	
GENERAL NOTES, LEGEND AND DETAILS SHEET	

Drawn	Name	Date
J.MCGUCKIN		02/25
J.RODDA		02/25
E.HEUGH		02/25
Project No.	Sheet No.	Rev.
2974.1	002	D



PLAN
SCALE 1:100

LEGEND

- NEW TYPE 'KERB ONLY' BARRIER KERB
- NEW 100mm THICK SL72 MESH REINFORCED BROOM FINISH CONCRETE FOOTPATH. REFER TO IWC STD. DRG. F2 FOR DETAILS.
- NEW CONCRETE TRAFFIC ISLAND.
- NEW TURF.
- NEW LANDSCAPED AREA. REFER IWC STD. DRG. T1 FOR LANDSCAPE DETAILS.
- NEW ASPHALT RESURFACING 50mm 50mm - AC14M 50mm - 100mm AC20M (AS REQUIRED)
- NEW CONCRETE WOMBAT CROSSING. REFER IWC STD. DRG. T1 FOR DETAILS.
- BICYCLE LANE DELINEATION LINE MARKING STREET PRINT - (COLOUR) EMERALD GREEN
- EXISTING TREE TO BE REMOVED

WARNING!
BEWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BEWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM ENGINEERING SURVEY AND INTERPOLATED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

NOTES:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH NOTES AND LEGEND ON DRG 2974.1.002.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25


SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD Level Book

Size: A1 - Scales before reduction:

 SCALE 1:100
 A1 UNREDUCED
 Dimensions shown in metres except where shown otherwise

DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	



COUNCIL APPROVAL	
Approved By	
(For)	General Manager (AIS)
Signature:	
Date:	




Project	ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)		
Drawing Title	GENERAL ARRANGEMENT PLAN		

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
J.RODDA	J.RODDA	02/25
E.HEUGH	E.HEUGH	02/25


Project No.	Sheet No.	Rev.
2974.1	400	D



PLAN
SCALE 1:100



RAISED PEDESTRIAN
CROSSING MARKING (ZEBRA)



DETAIL A

WARNING!
BEWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BEWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

NOTES:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH NOTES AND LEGEND ON DRG 2974.1.002.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE


REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD

Size: A1 - Scales before reduction:
0 1 2 3 4 5m
SCALE 1:100
A1 UNREDUCED
Dimensions shown in metres except where shown otherwise

DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION



COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	



Project	ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)		
Drawing Title	LINEMARKING AND SIGNAGE PLAN		

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
J.RODDA	J.RODDA	02/25
E.HEUGH	E.HEUGH	02/25

Project No.	Sheet No.	Rev.
2974.1	401	D



PLAN
SCALE 1:100

SURVEY CONTROL TABLE

PT	EASTING	NORTHING	LEVEL	DESCRIPTION
21	330499.004	6250466.127	12.906	BOLT IN CONCRETE PATH
22	330591.634	6250524.224	12.367	BOLT IN PRAM RAMP
23	330649.084	6250540.962	10.712	BOLT IN KERB

DESIGN LINE SETOUT (MC01)

PT	CHAINAGE	EASTING	NORTHING	LEVEL	BEARING	DEP.SEG	DEP.LEG
S	0.000	330545.767	6250485.683	13.562	58°26'45.60"	LINE	37.000
	20.000	330562.810	6250496.149	13.082	58°26'45.60"		
E	37.000	330577.297	6250505.045	12.675	58°26'45.60"		

WARNING!
BEWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BEWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM ENGINEERING SURVEY AND INTERPOLATED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE

REVISIONS

Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA

Horiz. Datum	MGA56	Vertical Datum	AHD	Level Book
--------------	-------	----------------	-----	------------

Size: A1 - Scales before reduction:

 SCALE 1:100
 A1 UNREDUCED
 Dimensions shown in metres except where shown otherwise

DRAWING CERTIFICATION

Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	

Drawing Status: **ISSUE FOR CONSTRUCTION**

COUNCIL APPROVAL



Approved By: _____
 (For) General Manager (AIS)
 Date: _____

Project: **ROZELLE REGIONAL CYCLEWAY DESIGN
WOMBAT CROSSING
LILYFIELD ROAD, LILYFIELD (ADJ. #77)**

Drawing Title: **SETOUT PLAN - REFERENCE STRING AND KERB ISLANDS**

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
J.RODDA	J.RODDA	02/25
E.HEUGH	E.HEUGH	02/25

Project No.	Sheet No.	Rev.
2974.1	402	D



PLAN
SCALE 1:100

WOMBAT 1 SETOUT

PT	EASTING	NORTHING	LEVEL
1	330551.519	6250495.424	13.348
2	330557.482	6250499.092	13.180
3	330557.759	6250485.262	13.187
4	330563.726	6250488.925	13.019
5	330551.291	6250492.932	13.259
6	330555.436	6250486.182	13.173
7	330559.806	6250498.175	13.018
8	330563.957	6250491.414	12.933
9	330552.565	6250493.720	13.376
10	330558.530	6250497.387	13.208
11	330554.287	6250490.915	13.422
12	330560.254	6250494.579	13.254
13	330556.712	6250486.966	13.258
14	330562.679	6250490.630	13.090

BIKE RAMP 01 SETOUT

PT	EASTING	NORTHING	LEVEL
15	330546.913	6250490.233	13.335
16	330546.872	6250491.618	13.470
17	330549.000	6250492.931	13.447
18	330549.041	6250491.546	13.301
19	330546.093	6250489.727	13.348
20	330550.008	6250492.142	13.285

KERB RAMP 01 SETOUT

PT	EASTING	NORTHING	LEVEL
27	330577.789	6250495.992	12.384
28	330578.419	6250494.970	12.514
29	330580.121	6250496.020	12.474
30	330579.491	6250497.042	12.308
31	330576.921	9250495.456	12.423
32	330580.002	6250497.357	12.285

BIKE RAMP 02 SETOUT

PT	EASTING	NORTHING	LEVEL
21	330565.343	6250492.265	12.894
22	330565.389	6250490.692	13.005
23	330567.517	6250492.005	12.946
24	330567.470	6250493.571	12.834
25	330564.272	6250491.608	12.924
26	330568.365	6250494.121	12.809

WARNING!
BWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM ENGINEERING SURVEY AND INTERPOLATED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION


COMPLETE

Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD Level Book
Size: A1 - Scales before reduction: 0 1 2 3 4 5m SCALE 1:100 A1 UNREDUCED Dimensions shown in metres except where shown otherwise			

DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	



Project	
ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)	
Drawing Title	SETOUT PLAN - WOMBAT CROSSING AND RAMPS

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
Designed	J.RODDA	02/25
Checked	E.HEUGH	02/25
Project No.	Sheet No.	Rev.
2974.1	403	D

DESIGN LINE SETOUT (KI01)

PT	CHAINAGE	EASTING	NORTHING	HEIGHT	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330552.565	6250493.720	13.223	328°26'45.60"	LINE		1.999
DIS	2.000	330551.519	6250495.424	13.163	238°20'06.00"	LINE		9.698
	2.500	330551.093	6250495.161	13.168	238°20'06.00"			
	5.000	330548.965	6250493.848	13.193	238°20'06.00"			
	7.500	330546.837	6250492.536	13.218	238°20'06.00"			
	10.000	330544.709	6250491.224	13.243	238°20'06.00"			
DIS	11.697	330543.265	6250490.333	13.260	238°27'43.20"	ARC	-0.300	0.353
CC	12.050	330543.125	6250490.030	13.274	170°57'39.60"	ARC	-0.300	0.353
CT	12.404	330543.352	6250489.785	13.292	103°27'36.00"	LINE		1.975
	12.500	330543.445	6250489.763	13.295	103°27'36.00"			
TC	14.379	330545.273	6250489.325	13.356	103°27'36.00"	ARC	-0.300	0.236
DIS	14.616	330545.500	6250489.362	13.358	58°19'48.00"	LINE		8.301
	15.000	330545.828	6250489.564	13.352	58°19'48.00"			
	17.500	330547.955	6250490.876	13.311	58°19'48.00"			
	20.000	330550.083	6250492.189	13.271	58°19'48.00"			
	22.500	330552.211	6250493.501	13.230	58°19'48.00"			
E	22.916	330552.565	6250493.720	13.223	58°19'48.00"			

DESIGN LINE SETOUT (KI02)

PT	CHAINAGE	EASTING	NORTHING	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330558.530	6250497.387	13.055	328°26'45.60"	LINE	2.002
DIS	2.000	330557.482	6250499.092	12.995	58°16'19.20"	LINE	8.700
	2.500	330557.906	6250499.354	12.980	58°16'19.20"		
	5.000	330560.033	6250500.669	12.900	58°16'19.20"		
	7.500	330562.159	6250501.984	12.821	58°16'19.20"		
	10.000	330564.285	6250503.299	12.742	58°16'19.20"		
TC	10.702	330564.882	6250503.667	12.720	58°16'19.20"	ARC	0.300
CC	11.102	330565.251	6250503.626	12.723	134°41'38.40"	ARC	0.300
CC	11.502	330565.297	6250503.257	12.747	211°06'57.60"	ARC	13.000
	12.500	330564.749	6250502.423	12.797	215°30'54.00"		13.000
	15.000	330563.110	6250500.540	12.899	226°32'02.40"		13.000
	17.500	330561.142	6250499.005	12.977	237°33'07.20"		13.000
DIS	17.663	330561.004	6250498.918	12.981	238°14'31.20"	LINE	2.910
	20.000	330559.017	6250497.688	13.041	238°14'31.20"		
E	20.573	330558.530	6250497.387	13.055	238°14'31.20"		

DESIGN LINE SETOUT (KI03)

PT	CHAINAGE	EASTING	NORTHING	HEIGHT	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330556.712	6250486.966	13.137	148°26'45.60"	LINE		2.000
DIS	2.000	330557.759	6250485.262	13.057	238°27'00.00"	LINE		9.698
	2.500	330557.333	6250485.000	13.064	238°27'00.00"			
	5.000	330555.203	6250483.692	13.101	238°27'00.00"			
	7.500	330553.072	6250482.384	13.137	238°27'00.00"			
	10.000	330550.942	6250481.076	13.174	238°27'00.00"			
TC	11.699	330549.494	6250480.187	13.199	238°27'00.00"	ARC	0.300	0.400
CC	12.099	330549.126	6250480.230	13.229	314°52'15.60"	ARC	0.300	0.400
CC	12.499	330549.081	6250480.598	13.261	31°17'34.80"	ARC	13.000	6.162
	12.500	330549.082	6250480.599	13.261	31°17'52.80"		13.000	
	15.000	330550.577	6250482.598	13.292	42°19'01.20"		13.000	
	17.500	330552.427	6250484.274	13.263	53°20'06.00"		13.000	
DIS	18.660	330553.388	6250484.924	13.237	58°26'45.60"	LINE		3.902
	20.000	330554.529	6250485.625	13.203	58°26'45.60"			
	22.500	330556.659	6250486.934	13.138	58°26'45.60"			
E	22.562	330556.712	6250486.966	13.137	58°26'45.60"			

DESIGN LINE SETOUT (KI04)

PT	CHAINAGE	EASTING	NORTHING	HEIGHT	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330562.679	6250490.630	12.969	148°26'45.60"	LINE		2.000
DIS	2.000	330563.726	6250488.925	12.889	58°26'56.40"	LINE		8.197
	2.500	330564.152	6250489.187	12.877	58°26'56.40"			
	5.000	330566.282	6250490.495	12.817	58°26'56.40"			
	7.500	330568.413	6250491.803	12.757	58°26'56.40"			
	10.000	330570.543	6250493.111	12.697	58°26'56.40"			
TC	10.197	330570.711	6250493.214	12.692	58°26'56.40"	ARC	-0.300	0.353
CC	10.550	330570.850	6250493.517	12.693	350°57'43.20"	ARC	-0.300	0.353
CT	10.904	330570.624	6250493.762	12.708	283°28'26.40"	LINE		1.979
	12.500	330569.071	6250494.134	12.780	283°28'26.40"			
TC	12.883	330568.699	6250494.223	12.797	283°28'26.40"	ARC	-0.300	0.236
DIS	13.118	330568.472	6250494.187	12.806	238°27'00.00"	LINE		6.798
	15.000	330566.869	6250493.202	12.851	238°27'00.00"			
	17.500	330564.738	6250491.894	12.911	238°27'00.00"			
E	19.916	330562.679	6250490.630	12.969	238°27'00.00"			

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION


COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA				
Horiz. Datum	MGA56	Vertical Datum	AHD	Level Book
Size: A1 - Scales before reduction:				
Dimensions shown in metres except where shown otherwise				


DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	




Project	
ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)	
Drawing Title	
SETOUT PLAN - SETOUT TABLES	


Name	Date	
Drawn J.MCGUCKIN	02/25	
Designed J.RODDA	02/25	
Checked E.HEUGH	02/25	
Project No.	Sheet No.	Rev.
2974.1	404	D




CH. 10.000




CH. 20.000




CH. 5.000



CH. 15.000



CH. 0.000



CH. 13.000 (CENTRE OF WOMBAT)

MC01 CROSS SECTIONS
SCALE 1:100

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE

Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA

Horiz. Datum: MGA56
Vertical Datum: AHD
Level Book:

Size: A1 - Scales before reduction:
0 1 2 3 4 5m
SCALE 1:100

A1 UNREDUCED
Dimensions shown in metres except where shown otherwise

DRAWING CERTIFICATION

Classification: Civil
Certifier Name:
Certifier No.:
Date:
Signature: _____

COUNCIL APPROVAL


Approved By:
(For) General Manager (AIS)
Date: _____




Project: **ROZELLE REGIONAL CYCLEWAY DESIGN
WOMBAT CROSSING
LILYFIELD ROAD, LILYFIELD (ADJ. #77)**

Drawing Title: **MC01 CROSS SECTIONS - SHEET 1 OF 2
CH.0.000 TO CH.20.000**


Name	Date
Drawn: J.MCGUCKIN	02/25
Designed: J.RODDA	02/25
Checked: E.HEUGH	02/25
Project No. 2974.1	Sheet No. 800
Rev. D	




CH. 30.000



CH. 37.000 (END)



CH. 25.000



CH. 35.000

MC01 CROSS SECTIONS
SCALE 1:100

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION


COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	29/11/24
C	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	16/12/24
D	ISSUE FOR CONSTRUCTION - AMENDED PLATFORM SIZE	JM	04/02/25

SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD Level Book
Size: A1 - Scales before reduction: 0 1 2 3 4 5m SCALE 1:100 A1 UNREDUCED Dimensions shown in metres except where shown otherwise			

DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For)	General Manager (AIS)
Date:	




Project	ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. #77)
Drawing Title	MC01 CROSS SECTIONS - SHEET 2 OF 2 CH.25.000 TO CH.37.000

Name	Date	
Drawn J.MCGUCKIN	02/25	
Designed J.RODDA	02/25	
Checked E.HEUGH	02/25	
Project No.	Sheet No.	Rev.
2974.1	801	D


ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)

CIVIL DRAWING SCHEDULE			
SHEET No.	TITLE	DWG No.	ISSUE
01	DRAWING SCHEDULE AND LOCALITY PLAN	2974.2.001	D
02	GENERAL NOTES, LEGEND AND DETAILS SHEET	2974.2.002	D
03	GENERAL ARRANGEMENT PLAN	2974.2.400	D
04	LINEMARKING AND SIGNAGE PLAN	2974.2.401	D
05	SETOUT PLAN - REFERENCE STRING AND KERB ISLANDS	2974.2.402	D
06	SETOUT PLAN - WOMBAT CROSSING AND RAMPS	2974.2.403	D
07	SETOUT PLAN - SETOUT TABLES	2974.2.404	D
08	MC02 CROSS SECTIONS	2974.2.800	D

REFER TO 2974.1.001 FOR LIGHTING DESIGN DRAWINGS



LOCALITY PLAN
NOT TO SCALE



THIS DRAWING SET IS PRODUCED IN COLOUR. REPRODUCTION OR READING IN OTHER THAN FULL COLOUR MAY IMPART FALSE OR MISSING INFORMATION. PLEASE CONTACT THE STATUTORY CERTIFIER VIA THE PROJECT MANAGER FOR CLARIFICATION.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION


COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25

SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD
Size: A1 - Scales before reduction:			
Dimensions shown in metres except where shown otherwise			

DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	



Project	ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)		
Drawing Title	DRAWING SCHEDULE AND LOCALITY PLAN		

Drawn	J.MCGUCKIN	Date	02/25
Designed	J.RODDA	Date	02/25
Checked	E.HEUGH	Date	02/25
Project No.	2974.2	Sheet No.	001
Rev.			D

LEGEND - EXISTING FEATURES

	BOUNDARY LINE
	FENCE LINE
	KERB & GUTTER
	TRAFFIC LINE MARK
	TRAFFIC LINE MARK
	WALL
	BUILDING
	DRAINAGE PIPE/ARCH
	APPROX. LINE OF WATERMAIN (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF SEWERMAIN (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TELSTRA (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF GAS MAIN (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF ELECTRICITY (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF OPTUS (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF UECOMM (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TRANSPORT (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TRANSPORT ELEC. (BY DIAL BEFORE YOU DIG)
	APPROX. LINE OF TRAFFIC (BY DIAL BEFORE YOU DIG)

	TRAFFIC DIRECTION
	TRAFFIC LIGHT
	TRAFFIC BOX
	50KM SPEED LIMIT MARK
	TRAFFIC SIGN
	BIKE ROUTE MARK
	POWER POLE
	LIGHT POLE
	ELECTRICITY & LIGHT POLE
	BOLLARD
	SEWER MANHOLE
	SEWER LAMPHOLE
	WATER
	WATER HYDRANT
	WATER STOP VALVE
	GAS
	GAS VALVE
	DRAINAGE PIT
	TELSTRA PIT
	MISCELLANEOUS SERVICE BOX
	COLUMN
	UNKNOWN
	SURVEY CONTROL - OTHER
	SURVEY CONTROL - SSM / PM

LEGEND

	NEW TYPE 'INTEGRAL KERB & GUTTER' BARRIER KERB AND CHANNEL
	NEW TYPE 'KERB ONLY' BARRIER KERB
	NEW 100mm THICK SL72 MESH REINFORCED BROOM FINISH CONCRETE FOOTPATH. REFER TO IWC STD. DRG. F2 FOR DETAILS.
	NEW CONCRETE TRAFFIC ISLAND.
	NEW TURF.
	NEW LANDSCAPED AREA. REFER IWC STD. DRG. T1 FOR LANDSCAPE DETAILS.
	NEW ASPHALT RESURFACING 50mm 50mm - AC14M 50mm - 100mm AC20M (AS REQUIRED)
	NEW CONCRETE WOMBAT CROSSING. REFER IWC STD. DRG. T1 FOR DETAILS.
	BICYCLE LANE DELINEATION LINE MARKING STREET PRINT - (COLOUR) EMERALD GREEN

PAVEMENT MARKINGS & RETROREFLECTIVE MARKER APPLICATIONS

DIVIDING LINE (DL) (A) TWO-LANE ROADS		100mm
(B) MULTILANE ROADS		200mm
BARRIER LINE (BL) (A) SINGLE		100mm
(B) ONE DIRECTION		100mm
(C) BOTH DIRECTIONS		80mm
LANE LINE (LL) (A) BROKEN		100mm
(B) SPECIAL PURPOSE - BROKEN, INCLUDING EXIT LINE AT ROUNDABOUTS		100mm
(C) CONTINUOUS		100mm
EDGE LINE (EL)		150mm
YELLOW LINE (YL)		100mm
CONTINUITY LINE (CL)		150mm
OUTLINE (OL)		150mm
TURN LINE (TL)		100mm
STOP LINE (SL)		450mm
GIVE WAY LINE (GWL)		450mm
PEDESTRIAN CROSSING LINE (PXL)		150mm
BROKEN YELLOW ZONE LINE (BYZL)		100mm
ZIG ZAG (ZZ)		100mm

	BIKE AWARENESS ZONE SYMBOL (YELLOW)
	BICYCLE LANE DELINEATION LINE MARKING STREET PRINT - (COLOUR) EMERALD GREEN

MILL & FILL PAVEMENT DETAILS

	NEW PAVEMENT TO BE CONSTRUCTED
	50mm MILL (50mm MIN IN AREAS OF FILL TO KEY NEW PAVEMENT)
	50mm - AC14M
	50mm - 100mm AC20M (AS REQUIRED)
	10mm SAMI SEAL COAT

GENERAL NOTES

- CARRY OUT ALL WORKS IN CONFORMANCE WITH THE APPROVED PROJECT DOCUMENTATION. RECORD AND HAVE AUTHORISED ANY CHANGES MADE TO THE WORKS UNDER THIS DOCUMENTATION, IN CONFORMANCE WITH QUALITY PROCEDURES.
- WHERE PROJECT DOCUMENTATION (INCLUDING THESE DRAWINGS) DOES NOT PROVIDE CLEAR DETAILS, UNDERTAKE WORKS IN CONFORMANCE WITH CITY PLAN LAND DEVELOPMENT GUIDELINES CURRENT EDITION INCLUDING STANDARD SPECIFICATIONS & DRAWINGS.
- WHERE PROJECT SPECIFIC DETAILS ARE NOT INCLUDED, PROVIDE TRAFFIC MANAGEMENT, LINEMARKING AND SIGNAGE TO AS1742 REQUIREMENTS.
- NOTE THAT PROPERTY BOUNDARIES ARE DERIVED FROM THE INNER WEST COUNCIL GEOSPATIAL INFORMATION SYSTEM AND ARE SUBJECT TO FINAL SURVEY U.N.O.
- ARRANGE SET OUT BY INNER WEST COUNCIL INFRASTRUCTURE DELIVERY SURVEY SERVICES. NOTIFY SURVEY COORDINATOR A MINIMUM OF 48 HOURS IN ADVANCE.
- ENSURE THE REQUIRED SURVEY CONTROL MARKS HAVE NOT BEEN DISTURBED OR DESTROYED PRIOR TO ESTABLISHMENT AND COMMENCEMENT OF WORKS. LIAISE WITH AND ALLOW SUFFICIENT TIME (48 HOURS NOTICE) FOR INNER WEST COUNCIL INFRASTRUCTURE DELIVERY SURVEY SERVICES TO PROVIDE NEW SURVEY CONTROL INFORMATION.
- NOTE THAT UNDERGROUND SERVICES SHOWN ON THESE PLANS HAVE BEEN DERIVED FROM GIS DATA (QL-D), ELECTROMAGNETIC RADIO DETECTION (QL-B) AND POTHOLING (QL-A) WITH SURVEY PICK UP TO AS5488. POTHOLING (QL-A) DATA ARE IDENTIFIED ON THESE PLANS WITH A REDUCED LEVEL TO TOP OF PIPE/SERVICE UNLESS NOTED OTHERWISE.
- REINSTATE THE AFFECTED WORK AREA TO CONDITION PRIOR TO COMMENCEMENT OF WORK, INCLUDING FENCES, GATES, DRIVEWAYS ETC. WITH EXISTING OR MATCHING MATERIALS, OR AS DIRECTED U.N.O.
- UNDERTAKE EROSION AND SEDIMENT MANAGEMENT IN ACCORDANCE WITH DIRECTORATE QUALITY MANAGEMENT SYSTEM.
- UNDERTAKE WORKS IN ACCORDANCE WITH THE PROJECT VEGETATION MANAGEMENT SPECIFICATION.
- COORDINATE RELOCATION OF SERVICES THROUGH APPROPRIATE PROVIDER CONTACTS SHOWN IN THE SPECIFICATION.
- CONTACT BEFORE YOU DID AUSTRALIA "BYDA" (www.byda.com.au or www.1100.com.au) PRIOR TO COMMENCING WORKS.
- DRAWINGS MUST BE READ IN CONJUNCTION WITH PROJECT SPECIFICATIONS AND DESIGNER'S RISK ASSESSMENT.

DEMOLITION NOTES:

- ALL DEMOLITION WORK TO BE CARRIED OUT IN ACCORDANCE WITH AS.2601.
- ENSURE ALL SERVICES ARE DISCONNECTED AND CAPPED BELOW GROUND LEVEL. SERVICES TO BE RECONNECTED SHOULD BE LOCATED BY SURVEY AND PROTECTED FOR FUTURE CONNECTION.
- ADJUST LEVELS OF EXISTING SERVICE PITS TO BE RETAINED TO SUIT NEW WORKS.

THIS DRAWING SET IS PRODUCED IN COLOUR. REPRODUCTION OR READING IN OTHER THAN FULL COLOUR MAY IMPART FALSE OR MISSING INFORMATION. PLEASE CONTACT THE STATUTORY CERTIFIER VIA THE PROJECT MANAGER FOR CLARIFICATION.

NOTE: THIS DESIGN MUST BE READ IN CONJUNCTION WITH DESIGN ADVICE PROVIDED TO THE CLIENT FROM COMPLETE URBAN DURING THE DESIGN PROCESS AND SUPPLIED WITH THE FOR CONSTRUCTION DOCUMENTATION. THIS ADVICE FORMS PART OF THE DESIGN.


COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25

SURVEY DATA				
Horiz. Datum	MGA56	Vertical Datum	AHD	Level Book
Size: A1 - Scales before reduction:				
Dimensions shown in metres except where shown otherwise				



DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	



Project	
ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)	
Drawing Title	
GENERAL NOTES, LEGEND AND DETAILS SHEET	

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
J.RODDA	J.RODDA	02/25
E.HEUGH	E.HEUGH	02/25
Project No.	Sheet No.	Rev.
2974.2	002	D



PLAN
SCALE 1:100

LEGEND

- NEW TYPE 'INTEGRAL KERB & GUTTER' BARRIER KERB AND CHANNEL
- NEW TYPE 'KERB ONLY' BARRIER KERB
- NEW 100mm THICK SL72 MESH REINFORCED BROOM FINISH CONCRETE FOOTPATH. REFER TO IWC STD. DRG. F2 FOR DETAILS.
- NEW CONCRETE TRAFFIC ISLAND.
- NEW TURF.
- NEW LANDSCAPED AREA. REFER IWC STD. DRG. T1 FOR LANDSCAPE DETAILS.
- NEW ASPHALT RESURFACING 50mm 50mm - AC14M 50mm - 100mm AC20M (AS REQUIRED)
- NEW CONCRETE WOMBAT CROSSING. REFER IWC STD. DRG. T1 FOR DETAILS.
- BICYCLE LANE DELINEATION LINE MARKING STREET PRINT - (COLOUR) EMERALD GREEN

WARNING!
BEWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BEWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM ENGINEERING SURVEY AND INTERPOLATED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

NOTES:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH NOTES AND LEGEND ON DRG 2974.2.002.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25


SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD Level Book

Size: A1 - Scales before reduction:

 SCALE 1:100
 A1 UNREDUCED
 Dimensions shown in metres except where shown otherwise

DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	



COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	




Project	ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)		
Drawing Title	GENERAL ARRANGEMENT PLAN		

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
J.RODDA	J.RODDA	02/25
E.HEUGH	E.HEUGH	02/25


Project No.	Sheet No.	Rev.
2974.2	400	D



PLAN
SCALE 1:100



RAISED PEDESTRIAN
CROSSING MARKING (ZEBRA)



DETAIL A

WARNING!
BEWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BEWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM ENGINEERING SURVEY AND INTERPOLATED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

NOTES:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH NOTES AND LEGEND ON DRG 2974.2.002.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION


COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25

SURVEY DATA			
Horiz. Datum	MGA56	Vertical Datum	AHD
Level Book			
Size: A1 - Scales before reduction:			
0 1 2 3 4 5m			
SCALE 1:100			
A1 UNREDUCED			
Dimensions shown in metres except where shown otherwise			



DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For) General Manager (AIS)	
Date:	



Project	ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)		
Drawing Title	LINEMARKING AND SIGNAGE PLAN		

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
J.RODDA	J.RODDA	02/25
E.HEUGH	E.HEUGH	02/25
Project No.	Sheet No.	Rev.
2974.2	401	D



PLAN
SCALE 1:100

SURVEY CONTROL TABLE

PT	EASTING	NORTHING	LEVEL	DESCRIPTION
SS25304	330788.776	6250762.825	4.279	SSM 25304
28	330831.351	6250789.104	2.911	BOLT IN KERB
29	330903.223	3.956	3.956	BOLT IN BITUMEN PATH

DESIGN LINE SETOUT (MC02)

PT	CHAINAGE	EASTING	NORTHING	LEVEL	BEARING	DEP.SEG	DEP.LEG
S	0.000	330820.162	6250787.188	3.101	50°24'43.20"	LINE	26.000
	20.000	330835.575	6250799.934	2.936	50°24'43.20"		
E	26.000	330840.199	6250803.757	2.887	50°24'43.20"		

WARNING!
BEWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BEWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE

Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25

SURVEY DATA

Horiz. Datum: MGA56 Vertical Datum: AHD Level Book:

Size: A1 - Scales before reduction:

 SCALE 1:100

A1 UNREDUCED
 Dimensions shown in metres except where shown otherwise


DRAWING CERTIFICATION

Classification: Civil

Certifier Name: _____
 Certifier No.: _____
 Date: _____
 Signature: _____

COUNCIL APPROVAL

Approved By: _____
 (For) General Manager (AIS)
 Date: _____





Project: **ROZELLE REGIONAL CYCLEWAY DESIGN
WOMBAT CROSSING
LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)**

Drawing Title: **SETOUT PLAN - REFERENCE STRING AND KERB ISLANDS**

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
J.RODDA	J.RODDA	02/25
E.HEUGH	E.HEUGH	02/25

Project No.	Sheet No.	Rev.
2974.2	402	D



PLAN
SCALE 1:100

WOMBAT 2 SETOUT

PT	EASTING	NORTHING	LEVEL
1	330823.149	6250798.484	2.976
2	330828.560	6250802.925	2.922
3	330830.831	6250789.194	2.917
4	330836.198	6250793.708	2.840
5	330822.946	6250796.376	2.883
6	330828.727	6250789.384	2.899
7	330830.675	6250802.720	2.804
8	330836.381	6250795.821	2.815
9	330824.105	6250797.328	3.008
10	330829.516	6250801.769	2.954
11	330827.483	6250793.242	3.123
12	330832.883	6250797.708	3.065
13	330829.875	6250790.350	2.976
14	330835.233	6250794.855	2.905

BIKE RAMP 03 SETOUT

PT	EASTING	NORTHING	LEVEL
15	330819.591	6250793.624	2.939
16	330819.365	6250794.991	3.001
17	330821.298	6250796.577	2.990
18	330821.523	6250795.210	2.907
19	330818.846	6250793.013	2.951
20	330822.327	6250795.869	2.894

BIKE RAMP 04 SETOUT

PT	EASTING	NORTHING	LEVEL
21	330837.750	6250796.973	2.799
22	330837.992	6250795.609	2.827
23	330839.905	6250797.218	2.800
24	330839.663	6250798.582	2.779
25	330836.954	6250796.304	2.808
26	330840.400	6250799.203	2.771

WARNING!
BWARE OF AERIAL SERVICES
OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BWARE OF UNDERGROUND SERVICES
THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM ENGINEERING SURVEY AND INTERPOLATED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE

Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25

SURVEY DATA

Horiz. Datum	MGA56	Vertical Datum	AHD	Level Book
--------------	-------	----------------	-----	------------


Size: A1 - Scales before reduction:
0 1 2 3 4 5m
SCALE 1:100
A1 UNREDUCED
Dimensions shown in metres except where shown otherwise

DRAWING CERTIFICATION

Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	

COUNCIL APPROVAL

Approved By	
(For) General Manager (AIS)	
Date:	



Project
**ROZELLE REGIONAL CYCLEWAY DESIGN
WOMBAT CROSSING
LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)**

Drawing Title
SETOUT PLAN - WOMBAT CROSSING AND RAMPS

Drawn	Name	Date
Designed	J.MCGUCKIN	02/25
Checked	J.RODDA	02/25
	E.HEUGH	02/25
Project No.	Sheet No.	Rev.
2974.2	403	D

DESIGN LINE SETOUT (KI05)

PT	CHAINAGE	EASTING	NORTHING	HEIGHT	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330824.105	6250797.328	2.864	320°24'43.20"	LINE		1.500
DIS	1.500	330823.149	6250798.484	2.818	230°37'37.20"	LINE		9.199
	2.500	330822.376	6250797.850	2.820	230°37'37.20"			
	5.000	330820.443	6250796.264	2.826	230°37'37.20"			
	7.500	330818.511	6250794.678	2.831	230°37'37.20"			
	10.000	330816.578	6250793.092	2.837	230°37'37.20"			
TC	10.699	330816.038	6250792.649	2.838	230°37'37.20"	ARC	-0.300	0.353
CC	11.052	330815.941	6250792.330	2.877	163°07'37.20"	ARC	-0.300	0.353
CT	11.406	330816.199	6250792.118	2.938	95°37'37.20"	LINE		1.273
	12.500	330817.288	6250792.011	2.964	95°37'37.20"			
TC	12.679	330817.465	6250791.993	2.969	95°37'37.20"	ARC	-0.300	0.236
CT	12.914	330817.685	6250792.060	2.969	50°37'37.20"	LINE		8.305
	15.000	330819.297	6250793.383	2.943	50°37'37.20"			
	17.500	330821.230	6250794.969	2.911	50°37'37.20"			
	20.000	330823.163	6250796.555	2.879	50°37'37.20"			
	21.219	330824.105	6250797.328	2.864	50°37'37.20"			

DESIGN LINE SETOUT (KI06)

PT	CHAINAGE	EASTING	NORTHING	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330829.516	6250801.769	2.808	320°24'43.20"	LINE	1.500
DIS	1.500	330828.560	6250802.925	2.761	50°37'37.20"	LINE	9.200
	2.500	330829.333	6250803.559	2.748	50°37'37.20"		
	5.000	330831.266	6250805.145	2.715	50°37'37.20"		
	7.500	330833.198	6250806.731	2.682	50°37'37.20"		
	10.000	330835.131	6250808.317	2.649	50°37'37.20"		
TC	10.700	330835.672	6250808.761	2.639	50°37'37.20"	ARC	0.300
CC	11.115	330836.055	6250808.760	2.722	129°46'37.20"	ARC	0.300
CC	11.529	330836.125	6250808.384	2.742	208°55'37.20"	ARC	13.000
	12.500	330835.624	6250807.553	2.760	213°12'21.60"		13.000
DIS	15.000	330834.063	6250805.605	2.789	224°13'26.40"		13.000
	16.453	330832.994	6250804.623	2.798	230°24'43.20"	LINE	4.499
	17.500	330832.187	6250803.955	2.801	230°24'43.20"		
	20.000	330830.260	6250802.362	2.806	230°24'43.20"		
	20.952	330829.527	6250801.756	2.808	230°24'43.20"		

DESIGN LINE SETOUT (KI07)

PT	CHAINAGE	EASTING	NORTHING	HEIGHT	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330829.875	6250790.350	2.885	140°24'54.00"	LINE		1.500
DIS	1.500	330830.831	6250789.194	2.757	229°55'26.40"	LINE		9.201
	2.500	330830.066	6250788.550	2.768	229°55'26.40"			
	5.000	330828.153	6250786.941	2.796	229°55'26.40"			
	7.500	330826.240	6250785.331	2.823	229°55'26.40"			
	10.000	330824.327	6250783.722	2.851	229°55'26.40"			
DIS	10.701	330823.791	6250783.271	2.859	229°55'44.40"	ARC	0.300	0.414
CC	11.115	330823.409	6250783.267	2.906	309°04'44.40"	ARC	0.300	0.414
CC	11.529	330823.333	6250783.642	2.939	28°13'44.40"	ARC	13.000	4.924
	12.500	330823.824	6250784.479	2.941	32°30'25.20"		13.000	
DIS	15.000	330825.361	6250786.446	2.935	43°31'33.60"		13.000	
	16.453	330826.419	6250787.441	2.927	49°55'08.40"	LINE		4.517
	17.500	330827.220	6250788.116	2.917	49°55'08.40"			
	20.000	330829.133	6250789.725	2.894	49°55'08.40"			
	20.970	330829.875	6250790.350	2.885	49°55'08.40"			

DESIGN LINE SETOUT (KI08)

PT	CHAINAGE	EASTING	NORTHING	HEIGHT	BEARING	DEP.SEG	DEP.RAD	DEP.LEN
S	0.000	330835.233	6250794.855	2.827	139°55'44.40"	LINE		1.499
DIS	1.500	330836.198	6250793.708	2.680	49°55'44.40"	LINE		9.190
	2.500	330836.964	6250794.352	2.669	49°55'44.40"			
	5.000	330838.877	6250795.961	2.641	49°55'44.40"			
	7.500	330840.790	6250797.571	2.614	49°55'44.40"			
	10.000	330842.703	6250799.180	2.586	49°55'44.40"			
TC	10.689	330843.231	6250799.624	2.579	49°55'44.40"	ARC	-0.300	0.353
CC	11.043	330843.324	6250799.944	2.644	342°25'44.40"	ARC	-0.300	0.353
CT	11.396	330843.064	6250800.152	2.671	274°55'44.40"	LINE		1.273
	12.500	330841.964	6250800.247	2.738	274°55'44.40"			
TC	12.669	330841.796	6250800.262	2.748	274°55'44.40"	ARC	-0.300	0.236
DIS	12.905	330841.577	6250800.192	2.757	229°55'22.80"	LINE		8.290
	15.000	330839.973	6250798.843	2.775	229°55'22.80"			
	17.500	330838.060	6250797.234	2.796	229°55'22.80"			
	20.000	330836.148	6250795.624	2.817	229°55'22.80"			
	21.195	330835.233	6250794.855	2.827	229°55'22.80"			

WARNING!
BEWARE OF AERIAL SERVICES
 OVERHEAD POWERLINES AND COMMUNICATION CABLES WITHIN WORK AREA. CONTACT SERVICE PROVIDER FOR ADVICE PRIOR TO COMMENCEMENT OF WORK.

WARNING!
BEWARE OF UNDERGROUND SERVICES
 THE LOCATION OF UNDERGROUND SERVICES HAS BEEN COMPILED FROM BEFORE YOU DIG AUSTRALIA AS PROVIDED BY THE SERVICE AUTHORITIES. NO RESPONSIBILITY IS TAKEN FOR THE ACCURACY OF THE INTERPOLATED INFORMATION SUPPLIED. ENSURE ALL SERVICES ARE ACCURATELY LOCATED PRIOR TO COMMENCEMENT OF WORK.

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
 ISSUE FOR CONSTRUCTION

COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25

SURVEY DATA				
Horiz. Datum	MGA56	Vertical Datum	AHD	Level Book

Size: A1 - Scales before reduction:

Dimensions shown in metres except where shown otherwise








DRAWING CERTIFICATION	
Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	
Drawing Status	ISSUE FOR CONSTRUCTION

COUNCIL APPROVAL	
Approved By	
(For)	General Manager (AIS)
Date:	



Project	
ROZELLE REGIONAL CYCLEWAY DESIGN WOMBAT CROSSING LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)	
Drawing Title	
SETOUT PLAN - SETOUT TABLES	

Drawn	Name	Date
J.MCGUCKIN	J.MCGUCKIN	02/25
Designed	J.RODDA	02/25
Checked	E.HEUGH	02/25
Project No.		Sheet No.
2974.2		404
		Rev.
		D



MC02 CROSS SECTIONS
SCALE 1:100

2974 - IWC - ROZELLE REGIONAL CYCLEWAY DESIGN
ISSUE FOR CONSTRUCTION

COMPLETE

REVISIONS			
Issue	Revisions/Descriptions	Drawn	Date
A	ISSUE FOR CONSTRUCTION	JM	26/11/24
B	WOMBAT WIDTH AMENDED TO 6.3m	JM	29/11/24
C	WOMBAT WIDTH AMENDED TO 6.8m	JM	16/12/24
D	WOMBAT WIDTH AMENDED TO 7.0m	JM	04/02/25

SURVEY DATA

Horiz. Datum: MGA56
Vertical Datum: AHD
Level Book:

Size: A1 - Scales before reduction:
0 5 10 15m
SCALE 1:250
A1 UNREDUCED
Dimensions shown in metres except where shown otherwise


DRAWING CERTIFICATION

Classification	Civil
Certifier Name	
Certifier No.	
Date	
Signature:	

Drawing Status: **ISSUE FOR CONSTRUCTION**

COUNCIL APPROVAL

Approved By: _____
(For) General Manager (AIS)
Date: _____



Project: **ROZELLE REGIONAL CYCLEWAY DESIGN
WOMBAT CROSSING
LILYFIELD ROAD, LILYFIELD (ADJ. EASTON PARK)**

Drawing Title: **MC02 CROSS SECTIONS
CH.0.000 to CH.26.000**

Drawn	Name: J.MCGUCKIN	Date: 02/25
Designed	Name: J.RODDA	Date: 02/25
Checked	Name: E.HEUGH	Date: 02/25
Project No.	2974.2	Sheet No. 800
Rev.		D